

	Type	Hits	Search Text
1	BRS	103	385/.ccls. and (hollow adj waveguide\$1)
2	BRS	113	385/.ccls. and (hollow adj (waveguide\$1 or (wave adj guide\$1)))
3	BRS	3	(385/.ccls. and (hollow adj (waveguide\$1 or (wave adj guide\$1)))) and (circuit adj board\$1)
4	BRS	104	385/.ccls. and miura.in.
5	IS&R	5379	((385/14) or (385/129-132)).CCLS.
6	BRS	18	((385/14) or (385/129-132)).CCLS.) and (hollow with metal\$4)
7	BRS	799	((385/14) or (385/129-132)).CCLS.) and (substrate\$1 with metal\$4)

	DBs	Time Stamp	Comments
1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/09 08:58	
2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/09 09:26	
3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/09 09:02	
4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/09 09:27	
5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/09 09:30	
6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/09 09:33	
7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/09 09:34	

	Error Definition	Errors
1		0
2		0
3		0
4		0
5		0
6		0
7		0